### NOTES

# First Record of the Masked Booby (Aves, Sulidae: Sula dactylatra) for Thailand

During a fish collecting expedition to southern Thailand, I discovered a Masked Booby, Sula dactylatra, which was being kept in captivity by a trawler fisherman in Pattani on 23 October 1983. The fisherman reported that he had seen more than 10 boobies sitting on the water approximately 20 km off the coast between Narathiwat and the Malaysian Province of Kelantan around 20 October 1983. He further mentioned that some birds were blackish-brown (possibly Brown Boobies, S. leucogaster, or even frigatebirds, Fregata spp.) although the only bird that he managed to catch was a white individual.

This captive bird was immediately identifiable as an adult Masked Booby by its black flight feathers of wings and tail, white body covert feathers, white head and black face mask. The feet were dark grey and the bill pale yellowish. The bird was photographed (cover photograph). The only other predominantly white sulids having an entirely black tail are the Cape Gannet, S. capensis, of African waters, which has a creamy yellow head and less black on the secondaries, and the Galapagos form of the white morph of the Red-footed Booby, S. sula, which has red to yellow feet (HARRISON, 1983).

The Masked Booby ranges throughout tropical oceans and has been recorded from NW Malaysian waters, where a few birds occasionally visit the Brown Booby colony on Pulau Perak (MEDWAY & WELLS, 1976). The only booby hitherto recorded for Thailand is the Brown Booby, the status of which is uncertain (LEKAGUL & CRONIN, 1974). Owing to the depradations of fishermen who continue to collect eggs and young for food (WELLS, 1975, 1982), populations of nesting boobies in southeast Asian waters have been greatly reduced and, in some cases, probably extirpated.

I am grateful to Mr. Surachit Jamornmarn, Dr. Thosaporn Wongratana and Mr. Philip Round for comments on the manuscript, Mr. Hirochi Senou and Mrs. Praphakorn Louphanich for taking photographs, and Ms. Sujirat Kongkeitkajon for typing help.

#### REFERENCES

HARRISON, P. 1983. Seabirds: An Identification Guide. Groom Helm, London.

LEKAGUL, B. and E.W. CRONIN. 1974. Bird Guide of Thailand. Association for the Conservation of Wildlife, Bangkok.

MEDWAY, LORD and D.R. WELLS. 1976. The Birds of the Malay Peninsula, vol. 5, Witherby, London.

WELLS, D.R. 1975. Bird report: 1972 and 1973. Malay Nat. J. 28: 186-213.

WELLS, D.R. 1982. Bird report: 1974 and 1975. Malay Nat. J. 36: 61-85.

Chavalit Vidthayanon
Department of Marine Science
Chulalongkorn University, Bangkok 10500

## STRUM

The Section of the Stocker Court three Subfiger Subgrammy by the Challeng

a terminal of the control of the con

The confidence of the confiden

The Market Real process where a few birds on a comply out of the process of the comply of the complex of the comple

Loss proceded to bit. Summit Lamoranous Dv. Who come Worgapum and Mr. Paring Manual Loss and Manual Loss of the Manual Manual Loss of the Manual Manu

### 自由 10 年 10 直 10 日 10 日

the comment with the property of the property of the comment of

Account to the first the second of the second of the second of the formation of the formation of the first second of the second

LIFER TO 1 THE WHITE THE PROPERTY OF THE WAR AND STREET AND ALL AND ADDRESS OF THE WAR.

THE RESERVE OF THE PROPERTY OF

Charath Vidthmann.
Department of Maintag secures
Chalatonaleses Dimension Benefick for a